

Ð“Ð•Ð¡ÐçÐ ÐžÐ•ÐžÐ Ðœ :

ÑfÐ¿Ð°Ð°Ð³⁄₄Ð²Ð³⁄₄Ñ†Ð¹⁄₂Ð³⁄₄Ðµ Ð³⁄₄Ð±Ð³⁄₄Ñ€ÑfÐ´Ð³⁄₄Ð²
Super Sealer
Accvacs Ð³⁄₄Ð±Ð³⁄₄Ñ€ÑfÐ´Ð³⁄₄Ð²Ð°Ð¹⁄₂Ð, Ðµ
Ð Ð»Ñ•ÑfÐ¿Ð°Ð°Ð³⁄₄Ð²Ð°Ð¹⁄₂Ð,

R&TOR Services



ÐŸÐ³⁄₄Ð»ÑfÐ°Ð²Ñ, Ð³⁄₄Ð¹⁄₄Ð°Ñ, Ð, Ñ†ÐµÑ•Ð°Ð, Ðµ Ð•Ð°Ð¿Ð¿Ð°Ð¹Ñ%Ð, Ð°Ð,



ÐžÐ±Ð³⁄₄Ñ€ÑfÐ´Ð³⁄₄Ð²Ð°Ð¹⁄₂Ð, Ðµ Ð¿Ñ€ÐµÐ´Ð¹⁄₂Ð°Ð¹⁄₂Ð°Ð¹⁄₂Ð³⁄₄ Ð´Ð»Ñ•ÑfÐ¿Ð°Ð°Ð³⁄₄Ð²Ð°Ð¹⁄₂Ð,
Ð¿Ñ€ÐµÐ´Ð¹⁄₂Ð°Ð¹⁄₂Ð³⁄₄ Ð² Ð¿Ð°Ð°ÐµÑ, Ñ« Ð, Ð. Ñ, ÐµÑ€Ð¹⁄₄Ð, Ñ†ÐµÑ•Ð°Ð, Ñ•Ð²Ð°Ñ€Ð, Ð²Ð°ÐµÐ¹⁄₄Ñ«Ñ...

1/4D°Ñ, DµÑ€D, D°D»D¾D² (D±ÑfD¼D°D¶D½Ñ«Dµ D, D°D»ÑŽD¼D, D½D, DµD²Ñ«Dµ
 D°D°ÑˆD, Ñ€D¾D²D°D½D½Ñ«Dµ D¿D¾D»D, D¼DµÑ€D½D¾D¹ D¿D»DµD½D°D¾D¹ D¿D°D°DµÑ,Ñ«
 D¿D°D°DµÑ,Ñ« D, D· D¾DˆD½D¾- D, D»D, D¼D½D¾D¾D¾Ñ•D»D¾D¹D½D¾D¾D¾
 D¿D¾D»D, D¼DµÑ€D½D¾D¾D¾ D¼D°Ñ, DµÑ€D, D°D»D°) D¼DµÑ, D¾DˆD¾D¼
 D, D¼D¿ÑfD»ÑCEÑ•D½D¾D¹ D·D°D¿D°D¹D°D, DˆDˆDµD°D»ÑCE½D¾ D¿D¾DˆÑ...D¾DˆÑ•Ñ, DˆD»Ñ•
 D, Ñ•D¿D¾D»ÑCE·D¾D²D°D½D, Ñ•D½D° D¿Ñ€DµDˆD¿Ñ€D, Ñ•Ñ, D, Ñ•Ñ... D¿D, Ñ%DµD²D¾D¹
 D¾Ñ,Ñ€D°Ñ•D»D, (Ñ€DµÑ•Ñ, D¾Ñ€D°D½Ñ« D°D°Ñ, Dµ, Ñ, D°D±Ñ€D, D°D, -D°ÑfÑ...D½D, Ñ†DµÑ...D°
 D¿D¾ D¿Ñ€D¾D, D·D²D¾DˆÑ•Ñ, D²Ñf D°ÑfD»D, D½D°Ñ€D½D¾D¹ D¿Ñ€D¾DˆÑfD°Ñ†D, D, D²
 D¿Ñ€D¾DˆD¾D²D¾D»ÑCEÑ•Ñ, D²DµD½D½D½Ñ«Ñ... D¼D°D¾D°D·D, D½D°Ñ... D,
 Ñ•ÑfD¿DµÑ€D¼D°Ñ€D°DµÑ, D°Ñ..., D¼DµDˆD, Ñ†D, D½Ñ•D°D, Ñ... ÑfÑ†Ñ€Dµ¶DˆDµD½D, Ñ•Ñ..., D°
 Ñ, D°D°D¶Dµ D½D° DˆÑ€ÑfD¾D, Ñ... D¿Ñ€D¾D, D·D²D¾DˆÑ•Ñ, D²D°Ñ...

Â



Ñ•DµÑ€D, Ñ• ES

Ñ•DµÑ€D, Ñ• TSS

Ñ•DµÑ€D, Ñ• MTS

- DšD¾D¼D¿D°D°Ñ, D½Ñ«Dˆ DˆD, D·D°D¹D½
- D•DµD¿Ñ€D, Ñ...D¾Ñ, D»D, D²D¾Ñ•Ñ, ÑCE D² D¾D±Ñ•D»ÑfD¶D, D²D°D½D, D,
- D¿DµD½Ñ•D¾Ñ€D½D°Ñ• D¿D°D½DµD»ÑCE D¾D¿DµÑ€D°Ñ, D¾Ñ€D° (D°Ñ€D¾D¼Dµ Ñ•DµÑ€D, D, ES)
- DˆD¾D·D¼D¾D¶D½D¾Ñ•Ñ, ÑCE D¿Ñ€D¾D¾Ñ€D°D¼D¼D, Ñ€D¾D²D°D½D, Ñ•D¿Ñ•Ñ, D, Ñ€DµD¶D, D¼D¾D² Ñ€D°D±D¾Ñ,Ñ« (D°Ñ€D¾D¼Dµ Ñ•DµÑ€D, D, ES)
- DˆÑ«Ñ•D¾D°D¾Dµ D°D°Ñ†DµÑ•Ñ, D²D¾ Ñ•D²D°Ñ€D¾Ñ†D½D¾D¾D¾ ÑˆD²D°

Задать вопрос

Â

D¿DµÑ...D½D, Ñ†DµÑ•D°D, Dµ Ñ...D°Ñ€D°D°Ñ, DµÑ€D, Ñ•Ñ, D, D°D,

DœD¾DˆDµD»ÑCE	ES 1500	TSS MTS	ES 2000	TSS MTS	ES 2500
D°D·D¼DµÑ€Ñ«					
Ñ•D²D°Ñ€D¾Ñ†D½D¾D¹	381Ñ...6.35Ñ...0.2	508Ñ...6.35Ñ...0.2			635Ñ...6.35Ñ...0.2
D»DµD½Ñ,Ñ« (D¼D¼)					
DˆD°D±D°Ñ€D, Ñ,Ñ« (D¼D¼)	533Ñ...305Ñ...216	660Ñ...305Ñ...216			787Ñ...305Ñ...216
DˆDµÑ• (D°D³)	16	18			21
D•D°D¿Ñ€Ñ•D¶DµD½D, Dµ/ D¼D¾D¾D°D½D¾Ñ•Ñ, ÑCE	220-240V AC 10Amps	220-240V AC 10Amps			220-240V AC 10An
DŸD¾Ñ,Ñ€DµD±D»DµD½D, Dµ Ñ•D¶D°Ñ, D¾D¾D¾	600 kPa 150D»/D¼D, D½	600 kPa 150D»/D¼D, D½			600 kPa 150D»/D¼
D²D¾D·DˆÑfÑ...D°					

ƆžƆ±Ń€Ɔ°Ń%Ɔ°ƆμƆ¼ Ɔ'Ɔ°Ń`Ɔμ Ɔ²Ɔ½Ɔ, Ɔ¼Ɔ°Ɔ½Ɔ, Ɔμ Ɔ½Ɔ° Ń,Ɔ¾, Ń†Ń,Ɔ¾ Ɔ'Ɔ°Ɔ½Ɔ½ŃƆ' Ɔ, Ɔ½Ń,ƆμŃ€Ɔ½ƆμŃ, -Ń•Ɔ°ƆŃ,, Ɔ½Ɔ¾Ń•Ɔ, Ń, Ɔ, Ń•Ɔ°Ɔ»ŃžŃ†Ɔ, Ń,ƆμƆ»ŃƆƆ½Ɔ¾ Ɔ, Ɔ½Ń,,Ɔ¾Ń€Ɔ¼Ɔ°Ń†Ɔ, Ɔ¾Ɔ½Ɔ½ŃƆ' Ń...Ɔ°Ń€Ɔ°Ń,ƆμŃ€ Ɔ, Ɔ½Ɔ, Ɔ¿Ń€Ɔ, Ɔ°Ɔ°Ɔ°Ɔ, Ń... ŃƆŃ•Ɔ»Ɔ¾Ɔ²Ɔ, Ń•Ń... Ɔ¿Ń€ƆμƆ'Ɔ»Ɔ¾Ɔ¶ƆμƆ½Ɔ, Ń•, Ń€Ɔ°Ɔ¼ƆμŃ%ƆμƆ½Ɔ½ŃƆ'Ɔμ Ɔ½Ɔ° Ɔ½ƆμƆ¼, Ɔ½Ɔμ Ń•Ɔ²Ɔ»Ń•ŃžŃ,Ń•Ń• Ɔ¿ŃƆ±Ɔ»Ɔ, Ń†Ɔ½Ɔ¾Ɔ' Ɔ¾Ń,,ƆμŃ€Ń,Ɔ¾Ɔ', Ɔ¾Ɔ¿Ń€ƆμƆ'ƆμƆ»Ń•ƆμƆ¼Ɔ¾Ɔ' Ɔ¿Ɔ¾Ɔ»Ɔ¾Ɔ¶ƆμƆ½Ɔ, Ń•Ɔ¼Ɔ, Ɔ'ƆμƆŃ•Ń,Ɔ²ŃƆŃžŃ%ƆμƆ¾Ɔ Ɔ³Ń€Ɔ°Ɔ¶Ɔ'Ɔ°Ɔ½Ń•Ɔ°Ɔ¾Ɔ¾Ɔ Ɔ•Ɔ°Ɔ°Ɔ¾Ɔ½Ɔ¾Ɔ'Ɔ°Ń,ƆμƆ»ŃƆŃ•Ń,Ɔ²Ɔ° Ɔ Ɔ¾Ń•Ń•Ɔ, ƆŃ•Ɔ°Ɔ¾Ɔ' ƆμƆ°Ɔ¾Ɔ' ƆμƆŃ€Ɔ°Ń†Ɔ, Ɔ. Ɔ»Ɔ»Ń• Ɔ¿Ɔ¾Ɔ»ŃƆŃ†ƆμƆ½Ɔ, Ń• Ɔ¿Ɔ¾Ɔ'Ń€Ɔ¾Ɔ±Ɔ½Ɔ¾Ɔ' Ɔ, Ɔ½Ń,,Ɔ¾Ń€Ɔ¼Ɔ°Ń†Ɔ, Ɔ, Ɔ¾Ɔ± ŃƆƆ¿Ɔ°Ɔ°Ɔ¾Ɔ²Ɔ¾Ń†Ɔ½Ɔ¾Ɔ¼ Ɔ¾Ɔ±Ɔ¾Ń€ŃƆƆ'Ɔ¾Ɔ²Ɔ°Ɔ½Ɔ, Ɔ, ƆμƆ¾Ɔ¾Ɔ°Ɔ¾Ɔ¼Ɔ¿Ɔ»ƆμƆ°Ń,Ɔ°Ń†Ɔ, Ń•Ń,Ɔ¾Ɔ, Ɔ¼Ɔ¾Ń•Ń, Ɔ, Ɔ'Ń€, Ɔ¿Ɔ¾Ɔ¶Ɔ°Ɔ»ŃƆŃ•Ń,Ɔ°, Ɔ¾Ɔ±Ń€Ɔ°Ń%Ɔ°ƆŃ,ƆμŃ•ŃƆƆ Ɔ° Ɔ¼ƆμƆ½ƆμƆ'Ɔ¶ƆμŃ€Ɔ°Ɔ¼ Ɔ¿Ɔ¾Ɔ Ɔ¿Ń€Ɔ¾Ɔ'Ɔ°Ɔ¶Ɔ°Ɔ¼ Ɔ°Ɔ¾Ɔ¼Ɔ¿Ɔ°Ɔ½Ɔ, Ɔ, R&TOR-M Service.